CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG   888888      11      222222                ZZZZZZZZ
GG        88    88    111     22    22                   ZZ
GG        88    88     11           222                 ZZ
GG  GGGG   888888      11         222                 ZZZZZZ
GG    GG  88    88     11       22                     ZZ
GG    GG  88    88     11      22                      ZZ
 GGGGGG    888888   11111111  22222222                 ZZZZZZZZ
```

CROSSTABS

UNOMAR/OSFIL/CON

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JBWZ

77/04/25. 14.47.09.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=UNOMAR(0,3)/OSFIL(0,19)/CON(1,2)/TABLES=UNOMAR BY OSFIL
               BY CON
STATISTICS     ALL
READ INPUT DATA
```

042500 CM NEEDED FOR CROSSTABS

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/25.)

* CROSSTABULATION OF *

UNOMAR BY OSFIL

CONTROLLING FOR.. CON

VALUE.. 1 → Did Not Serve As A Conseiller

* PAGE 1 OF 1

UNOMAR / OSFIL	Prov. Parl	Paris Parl	Comptes ou Aides	Household off.	Municipal off.	Royal fin. off. au Parl	Royal fin off in Prov	Career Military	Jud & Admin off in Prov	Bourgeois	ROW TOTAL
	2	3	4	5	6	7	8	9	10	11	
2 (Married into PP family)	8	31	14	3	1	7	0	0	1	0	75
	10.7	41.3	18.7	4.0	1.3	9.3	0	0	1.3	0	55.1
	50.0	100.0	70.0	33.3	50.0	53.8	0	0	7.7	0	
	5.9	22.8	10.3	2.2	.7	5.1	0	0	.7	0	
3 (Did Not Marry into PP family)	8	0	6	6	1	6	4	6	12	1	61
	13.1	0	9.8	9.8	1.6	9.8	6.6	9.8	19.7	1.6	44.9
	50.0	0	30.0	66.7	50.0	46.2	100.0	100.0	92.3	100.0	
	5.9	0	4.4	4.4	.7	4.4	2.9	4.4	8.8	.7	
COLUMN TOTAL	16	31	20	9	2	13	4	6	13	1	136
	11.8	22.8	14.7	6.6	1.5	9.6	2.9	4.4	9.6	.7	100.0

UNOMAR / OSFIL	sec du roi	avocat	Legal fonct au Paris	High Royal off Above Parl	autre position	ROW TOTAL
	12	13	14	15	19	
2 (Married into PP family)	3	2	0	4	1	75
	4.0	2.7	0	5.3	1.3	55.1
	50.0	50.0	0	80.0	33.3	
	2.2	1.5	0	2.9	.7	
3 (Did Not Marry into PP family)	3	2	3	1	2	61
	4.9	3.3	4.9	1.6	3.3	44.9
	50.0	50.0	100.0	20.0	66.7	
	2.2	1.5	2.2	.7	1.5	
COLUMN TOTAL	6	4	3	5	3	136
	4.4	2.9	2.2	3.7	2.2	100.0

RAW CHI SQUARE = 59.91165 WITH 14 DEGREES OF FREEDOM. SIGNIFICANCE = .0000
CRAMER'S V = .66372
CONTINGENCY COEFFICIENT = .55300
LAMBDA (ASYMMETRIC) = .47541 WITH UNOMAR DEPENDENT. = .11429 WITH OSFIL DEPENDENT.
LAMBDA (SYMMETRIC) = .24699
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .41993 WITH UNOMAR DEPENDENT. = .12188 WITH OSFIL DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .18892
KENDALL'S TAU B = .33220. SIGNIFICANCE = .0000
KENDALL'S TAU C = .43880. SIGNIFICANCE = .0000

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

CONDITIONAL GAMMA = .46805
SOMERS≠S D (ASYMMETRIC) = .24883 WITH UNOMAR DEPENDENT. = .44350 WITH OSFIL DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .31880
ETA = .66372 WITH UNOMAR DEPENDENT.
ETA = .34359 WITH OSFIL DEPENDENT.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/04/25. PAGE 7

FILE PARIS (CREATION DATE = 77/04/25.)

* CROSSTABULATION OF *

UNOMAR BY OSFIL

CONTROLLING FOR.. CON

VALUE.. 2 → Served as Conseiller

* PAGE 1 OF 1

OSFIL

UNOMAR	Prov. Parl	Paris Parl	Comptes ou Aides	Household off.	Municipal off	Royal fin off in Paris	Royal fin off in prov	career military	Jud or admin off in prov	Bourgeois	ROW TOTAL
2 Married into PP family	14	94	32	9	2	26	4	0	0	1	224
	6.3	42.0	14.3	4.0	.9	11.6	1.8	0	0	.4	60.5
	77.8	100.0	52.5	37.5	40.0	56.5	22.2	0	0	25.0	
	3.8	25.4	8.6	2.4	.5	7.0	1.1	0	0	.3	
3 Did Not Marry into PP family	4	0	29	15	3	20	14	7	14	3	146
	2.7	0	19.9	10.3	2.1	13.7	9.6	4.8	9.6	2.1	39.5
	22.2	0	47.5	62.5	60.0	43.5	77.8	100.0	100.0	75.0	
	1.1	0	7.8	4.1	.8	5.4	3.8	1.9	3.8	.8	
COLUMN TOTAL	18	94	61	24	5	46	18	7	14	4	370
	4.9	25.4	16.5	6.5	1.4	12.4	4.9	1.9	3.8	1.1	100.0

OSFIL

UNOMAR	sec du Roc	avocat	legal funct in Paris	High off. Above Parl	Grand Conseil	autre position	ROW TOTAL
2 Married into PP family	14	2	1	20	4	1	224
	6.3	.9	.4	8.9	1.8	.4	60.5
	35.9	40.0	33.3	90.9	80.0	20.0	
	3.8	.5	.3	5.4	1.1	.3	
3 Did Not Marry into PP family	25	3	2	2	1	4	146
	17.1	2.1	1.4	1.4	.7	2.7	39.5
	64.1	60.0	66.7	9.1	20.0	80.0	
	6.8	.8	.5	.5	.3	1.1	
COLUMN TOTAL	39	5	3	22	5	5	370
	10.5	1.4	.8	5.9	1.4	1.4	100.0

RAW CHI SQUARE = 141.55192 WITH 15 DEGREES OF FREEDOM. SIGNIFICANCE = .0000

CRAMER≠S V = .61852

CONTINGENCY COEFFICIENT = .52603

LAMBDA (ASYMMETRIC) = .38356 WITH UNOMAR DEPENDENT. = .10507 WITH OSFIL DEPENDENT.

LAMBDA (SYMMETRIC) = .20142

UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .36859 WITH UNOMAR DEPENDENT. = .10746 WITH OSFIL DEPENDENT.

UNCERTAINTY COEFFICIENT (SYMMETRIC) = .16641

KENDALL≠S TAU B = .32999. SIGNIFICANCE = .0000

KENDALL≠S TAU C = .42466. SIGNIFICANCE = .0000

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

CONDITIONAL GAMMA = .47506
SOMERS'S D (ASYMMETRIC) = .24503 WITH UNOMAR DEPENDENT. = .44441 WITH OSFIL DEPENDENT.
SOMERS'S D (SYMMETRIC) = .31589
ETA = .61852 WITH UNOMAR DEPENDENT.
ETA = .26798 WITH OSFIL DEPENDENT.

SUMMARY GAMMAS FOR CROSSTABULATION OF UNOMAR BY OSFIL ZERO-ORDER GAMMA = .46930
FIRST-ORDER PARTIAL GAMMA = .47419

NUMBER OF MISSING OBSERVATIONS = 293

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

```
                    FINISH


RUN COMPLETED

NUMBER OF CONTROL CARDS READ  47
NUMBER OF ERRORS DETECTED   0
```

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER